




Flexible 3 LED / UV Light Inspection Light with Magnetic

- Adjustable for All Illuminating Purpose.
- Can be firmly attached to any metallic surface.
- LR-44 Battery x 3 PCS is included.
- Patent Pending

KA-4495	7" with LED light
KA-4496	10" with LED light
KA-4497	12" with LED light
KA-4495V	7" with UV light
KA-4496V	10" with UV light
KA-4497V	12" with UV light
KA-4497LV	15" with UV light



KA-4484N 1watt LED Clip Flashlight



KA-4484N3 3 watt Lantern Flashlight Trafficator

- 3 function switch: -- 100% bright -- 70% bright -- flash signal
- Multi-functional
- Durable
- Portable
- Stylish design
- Confirm grip handle

	Flashlight with magnet
	Lantern
	Trafficator

KJ-LED-02R

30 LED Cordless Work Light With Magnetic Base & 360° Revolving Hook





All parts made in Taiwan
Whole light assembled in Taiwan!!

- Material: Plastic
- Characteristics:
 1. Super bright 30 LED bulbs and energy-saving.
 2. Portable for all lighting purposes
 3. 360°revolving hook
 4. 120°revolving tube
 5. Magnetic base.
 6. Light body folds 180°
 7. Convex Lens for precise focus.
 8. Working hours: 8-10 hours
 9. 2000 mAh AA nickel-metal hydride battery
- Purpose
 1. Car- repairing.
 2. Outdoor illumination (camping barbecue)
 3. Car interior illumination
 4. Emergency illumination
- Installation

Three kinds of power supply:

 - (a) 12 V Battery Clip
 - (b) 12 V Cigarette Lighter
 - (c) Transformer input 100V or 240V SC with Output 12V DV 400MA



PATENT PENDING: U.S.A, UK, DENMARK, TAIWAN, CHINA



KJ-LED-06R 30 SMD 5050 LED Work Light With Rechargeable and Magnet

Features:

- With a strong magnet & 180 degree folding body.
- S-hook for hanging on the object.
- 120 degree revolving tube.
- 4 levels brightness. The 5th step is flash mode.

Battery Use Notes:

- Using the 2200 mAh Li battery.
- The light must be fully charged when the first time use it.
- The battery should be charged and discharged when it's lacking energy or not be used for a prolonged period to protect the battery's life cycle.
- Input: AC100V~240V / Output: USB DC 5V 1A.


Notes:

- Recharged indication: please turn off the light when recharging it.
- Red light: the light need to be recharged.
- Green light: the light is fully charged.




Patented in U.S.A., GERMANY, UK, JAPAN, TAIWAN


* Made in Taiwan *



Hanging from the Top



Attaching on metal surface from top or under





SMD 5050 LED Work / Warning Light





KJ-LED02RFR All RED Mask
KJ-LED02RFB All BLUE Mask

- Rechargeable, Cordless
- 2200 mAh Li battery
- 120° Revolving Tube
- 360° Revolving Red or Blue Mask
- 360° Hook
- Magnetic Base
- Convex Focus Light
- AC / DC Transformer: Input: AC100V~240V / Output: USB DC 5V 1A.
- Recharge Indication
- 4 levels brightness. The 5th step is flash mode.

Patents: UK/DE/TAIWAN/CHINA/JP/USA






30 SMD 5050 LED Work / Warning Light



KJ-LED06RFR All RED Mask
KJ-LED06RFB All BLUE Mask
KJ-LED06RFRB RED & BLUE Mask

- Rechargeable, Cordless
- 2200 mAh Li battery
- 120° Revolving Tube
- 360° Revolving Red or Blue Mask
- 360° Hook
- Magnetic Base
- Convex Focus Light
- AC / DC Transformer: Input: AC100V~240V / Output: USB DC 5V 1A.
- Recharge Indication
- 4 levels brightness. The 5th step is flash mode.

Patents: UK/DE/TAIWAN/CHINA/JP/USA






KJ-003S






3 LED LIGHT WITH MAGNET FOR JACK

* Specially designed to be used with Jack





- 3 LED Bulbs.
- Extendable Magnetic Base.
- Mirror: 45°~135° Rotation.



PURPOSE / CHARACTERISTICS



INSTALLATION



AC 100V ~ 240V (OUTPUT DC12V)
37 LED WORK LIGHT



KA-4336C-1 37 LED Work Light

- 31 LED + 6 LED work light
 - Wire Length: 25 FT (7.5 M)
 - Size: 340 x 105 x 60 mm
 - Charger Input: AC 100V- 240V
 - Charger Output: DC 12V (250-300 MA)
-

DC12V **37 LED WORK LIGHT**



KA-4336C-2 37 LED Work Light

- 31 LED + 6 LED work light
 - Wire Length: 25 FT (7.5 M)
 - Size: 340 x 105 x 60 mm
 - Charger Input: DC12V
 - Charger Output: DC 12V (250-300 MA)
 - Cigarette Plug
 - Battery Clip
-

Super Bright Multi-Purpose Portable LED Working Light



360° swivel hook for great positioning



- Housing Material: Plastics
- Dimension: L330 x W95 x H120 mm
- Batter: 3.6V 3300mAh NI-MH
- Charging Time: 5 hours
- Active Time: Single Light: 4~4.5 hours / Double Light: 2~2.5 hours
- Charging Mode: DC 12V / AC 100~240V
- N.W. : 0.8kgs

KA-3512

2 super bright LED light(1W) in front + 6 LED light on top

KA-3512UV

2 super bright LED light(1W) in front + 6 U.V. light on top

KA-3512A

2 super bright LED light(1W) in front + 1 piranha LED light on top


To be launched later:

KA-3512B

2 super bright LED light(3W) in front + 6 U.V. light on top

KA-3512C


2 super bright LED light(3W) in front + 1 piranha LED light on top

**KA-3513 Multi-Purpose Portable LED Working Light With Magnet**

- Housing Material: Aluminum
- Dimension: L210 x W27 x H30 mm
- Numbers of LED: 4 super bright SMD LED light
- Battery: 3.6V 800mAh NI-MH
- Charging Time: 2.5 hours
- Active Time: 2~2.5 hours
- Charging Mode: DC 12V AC 100~240V
- N.W.: 0.2kgs

**KA-3514****Clip-ON / Free Standing Multiple Purpose Portable Super Bright LED Working Light Set**

- Housing Material: Aluminum
- Dimension: L666 x W140 x H45 mm
- Numbers of LED: 90 piranha LED light
- Voltage: AC 100~240V DC 12V
- N.W.: 1.8kgs
- Works with one folding pod included






360° Multi-Purpose Portable Working Light With Magnet Base

- Housing Material: Plastics
- Dimension: L185 x W145 X H90 mm
- Number of LED: 1 super bright LED light
- Number of Magnet at Base: 6
- Battery: 3.6V 2000mAh NI-MH
- Charging Time: 5 hours
- Active Time: 4~4.5hours
- Charging Mode: DC 12V AC 100~240V
- N.W.: 0.6kgs

KA-3516 1W

KA-3516A 3W



KA-1361 5W LED Working Light


- Aluminum and plastic.
- Magnetic base

Specification:

- Light source: CREE 5W LED (300lm)
- Battery: 3.8V/2400mah
- Replenisher: i/p 100-240Vac, o/pSv/1Adc(Micor USB)
- Total length: 430mm
- Weight: 230g
- Use time approx: 3-4 hours
- Charging time approx: 3-4 hours

KA-3519 Cobra Light


- Power is supplied by cartridge-style battery, easy to replace.
- Unit has 1W high power Lumens LED that provides brightness as 15 LEDs.
- LED Lifetime rates up to 30,000 hours, 30times than normal bulb.
- Super Strong magnets is inserted in the bottom, can be fixed on metal surface.
- The 40cm neck can be easily fixed by winding and stretched into the narrow cap.
- No heat prevents from scalding. Insulation design prevents the short circuit.
- 2000mAh battery can be used between 6~9 hours serially and saving electrical power.
- Find engine, transmission, radiator, air condition and other leaks quickly and easily by using UV light. (optional function)




Oil-Resistant




Secure Firmly



Winding Cord



Reach any deep area



Strong Magnet



Multipurpose Foldable Work light

ITEM NO.	KA-3501A	KA-3501B
Housing Material	Plastic Housing	
Size (mm)	52(L) x 48(W) x 105(H)	
LED Q'ty	12pcs + 3U.V	12 + 3LED
Battery	DC 1.5V x 3	--
Active Time	4.5h(1600mAh LED x 12), 17h(1600mAh LED x 3)	
Weight	195mg	145mg
ED-915(H.M.C)	○	○



Foldable Rechargeable Emergency Work light

ITEM NO.	KA-3502A	KA-3502B
Housing Material	Plastic Housing	
Size (mm)	60(L) x 55(W) x 55(H)	
LED Q'ty	21 + 6LED	21LED + 6U.V
Power Input	AC 110 ~ 220V	AC 110 ~ 220, DC12V
Battery	3.6V 2.2Ah NI-MH	3.6V 3.3Ah NI-MH
Active Time	5 ~ 6 hours	9.0 hours
Charger Time	5.5 hours	8 ~ 9 hours
Weight	560mg	620mg



10W LED Rechargeable Work light


ITEM NO.	KA-3504
Housing Material	Steel Housing
Size (mm)	200(L) x 230(W) x 280(H)
LED Q'ty	10W LED Light
Power Input	AC 100 ~ 240V
Power Output	DC 12V
Battery	12V 4.5Ah VRLA
Weight	5.8kg



10W LED Work light

ITEM NO.	KA-3503 AC & DC rechargeable	KA-3503A Not rechargeable	KA-3503B Not rechargeable
Housing Material	Plastic Housing		
Size (mm)	330(L) x 95(W) x 100(H)		
LED Q'ty	10W MULTI-CHIP MODULE	10W x 1	10W x 1
Power Input	AC100 ~ 240v, DC 12V	AC 100 ~ 240V	DC 12 ~ 24V
Battery	3.6V 3300mAh NI-MH	--	--
Wire Length	--	25ft(7.5M)	20ft(7M)
Charger Time	5.0 hours	--	--
Active Time	4 ~ 4.5 hours/1LED	--	--
Weight	0.8kg	1.5kg	1.0kg

- High power 10W LED
- 360° adjustable hook
- Super Luminosity over 700LM
- Waterproof Grade IP44
- Heavy-Duty magnet included



14 LED Flexible Work Light With Magnifying Glass (LED Dual Power)



- LED white light bulb.
- Waterproof
- 3x magnifying glass.
- Magnifying glass's diameter is 4".
- Could be supplied power by the two kinds of options which are the 2pcs of AAA battery and transformer.
- Magnetic base attaches firmly to any metal surface.

Accessories:

It could be supplied power by the below options:

1. Battery- 2pcs of AAA battery
2. Transformer- Input: AC100V/AC240V,
Output: 4.5V DC 500mA.
3. C-Clamp (metal)

Light Purpose:



Optional Accessory:

KJ-308CD 4.5V Spare Transformer For KJ-308C Series



Magnetic 14 LED Light With 3x Magnifying glass

- LED white light bulb.
- Waterproof
- 3x magnifying glass.
- Magnifying glass's diameter is 4".
- Could be supplied power by the two kinds of options which are the 2pcs of AAA battery and transformer.

Accessories:

It could be supplied power by the below options:

1. Battery- 2pcs of AAA battery
2. Transformer- Input: AC100V/AC240V,
Output: 4.5V DC 500mA.



KA-1090
10W Chip LED Working Light



KA-1091
9W High Power LED Working Light



KA-1092
30pcs LED Working Light



KA-1093
6W 5050 SMD LED Working Light




KA-1094
6W LED Working Light
& Warning Light




1pc top light of 3W
high power LED light

The Bendable Handle allow the light itself can stand alone and bend to any direction where need the lights



Features:

- Angle Adjustable-lets you adjust light where you need it
- Li-Ion rechargeable Battery – 3.6V 2250mAh
- AC/DC charger – AC 100 -240V, DC 12V – 24V
- Magnetic Base – High strength magnets stick to metal surfaces
- Charge Time: 3.5 hours
- Waterproof grade: IP65
- Bright LEDs: 50,000 hours life
- 360° Swivel Hook
- Hard-coated lenses and Slip resistant textured body
- Fully rubberized and impact resistant housing



KA-1095



KA-1096



KA-1098

5W Focus Adjustable 360° Multi-Purpose Portable Working Light With Magnet Base

Maximum Brightness	Wide beam 360 Lux at 50cm, Intense Spot 10000 Lux at 50cm
Battery	Notes: wide beam diameter: 158cm/intense spot diameter: 13cm
Running Time	1PC x Lithium battery ICR Sanyo 18650A 2250 mA/3.7V
Recharge Time	High light 2.5~3 hours, low light 8~9 hours
Four Gears	Four modes can switch back and forth
Head Adjustment	3.5 hours
Material	High Lighting-Low Lighting-Flash(SOS) Lighting and off Four modes can switch back forth
Dimensions	Tilts 180 degree
Waterproof Grade	High Quality Aluminum Alloy (Eco-friendly)
LED Life Time	Over all length 168mm, Head dia: 28mm, Body dia: 37mm
Charge Cycles	IP 65
Lighting Range	50,000 hours
Magnets	Over 500 times
Charger	Max: 150M
Included	Build in bottom
Net Weight	Intelligent Two Chargers:
	(1) AC adapter input: 110 – 240V, 50-60Hz, Output: 5V, 1000mA
	(2) Car adapter: input DC 12-24V, Output: 5V, 1000mA
	5W Zoom LED Torch, rechargeable LI-ION batteries: 110V AC and 12V DC battery charger, instructions, leather cover(optional)
	240g(with battery), 580g(cover + 2 chargers + gift box)



* Standard color: Red with black

LED PENLIGHT

Features:



Size: 165 x 25 x 30mm

- Battery: 3 x AAA super heavy duty 1.5V batteries last up to 10 hours of non-stop use (included)
- Weight: 65g (including batteries)
- Storage temperature: -20°C to 70°C
- Operation temperature: -5°C to 50°C
- 360° rotatable clip with molded magnet for convenience usage.
- Powerful magnet

KA-1085 2W Hi intensity LED light

KA-1086 8W COB LED light

KA-1087 2W Hi intensity LED light + Red/Blue warning light



KA-1348

8W Flexible Rechargeable COB LED Slim Light

- Unique flexible neck allows you to mount the magnetic base then just bend and twist the light into the desired position.
- 20lb magnetic base.
- Unique power dial to adjust from 0~300 lumens or anywhere in between.
- Rechargeable Lithium-ion battery 3.7V 2200 mAh.
- USB rechargeable (includes wall adapter and Micro USB cable)
- 4-10 hours work time.
- Charging time 3.5~4 hours.
- Externally and internally designed for harsh conditions and dirty environments.
- Overcharge protection.

Specifications:

- LED max power: 8W LED COB light
- Li-ion rechargeable battery: 3.7VDC 2200mAh
- Charge input: AC100-240V 50/60Hz
- Power output: 5.0V 1000mAh
- Charge time: 3.5 ~ 4.0 hours
- Active time: 4 hours (100% power) up to 10 hours (50% power or less)
- Operation temperature: -20°C to 50°C
- Housing material: composite
- Dimensions: 17.5" x 1.57" x 1.46"
- Weight: 0.5 lbs

KA-1329 48 LED Work Light

- Folding design, 180° fully folded
- Patented new design, sleek, lightweight, particularly good texture, comfort grip.
- All folding design, 180° fully folded 1/2 smaller in size, easy storage and portability.
- Innovative design, automatic IC sensor switch, turn on the use of that light, when folded back off, do not press the switch can be used to increase their convenience, can extend the switch life.
- The intimate design battery replacement mode, the battery is of the consumable, when returned to the factory no need to replace the battery damage, simply purchase another consumer replaceable batteries can, moreover, when you have to work long hours of battery power exhausted, without waiting for the charging time, put already fully charged backup battery can continue to complete your work, increase work efficiency.
- The lighting design transparent protective cover can be replaced with the light dimmed when your lamp might be defaced transparent cover, this time as long as the transparent protective cover replacement, illumination and can restore the original brightness.





Transparent mask if fouling, they can always replaceable.	IC sensor switch automatically opens that is the use of light, when folded off, without pressing the switch can be used.	The new patented folding design can be completely folded body 180° narrow plot 1/2, sleek

45° Rechargeable Swivel Led Light With Magnet

- The battery body could be disassembled from the lamp for another lamp.
- 45° swivel lamp body for better operation angel.
- With power magnet in the bottom of lamp and hanger in the top of lamp
- Electronic switch for easier operation.

**KA-3500****KA-3500A**

	KA-3500	KA-3500A
Light	30 LED	9W
Battery:	3.7V/2400ma (Li-Lon) x 1pc	3.7V/2400ma (Li-Lon) x 2pc
Recharge time:	5-6 hours	5~6 hours
Working time:	4-5 hours	6~8 hours



KA-1084 15W Ultra LED COB Slim Working Light

- Ideal for illuminating hard to reach/small areas
- The adjustable dimmer switch allows you to set the amount of light you need
- 360° Swivel Magnetic base can be locked into any position
- 180° swivel hook
- Charger and Micro USB cable included

Specification:

LED max power:	410 Lumens 15W LED COB light
Li-ion rechargeable battery:	2200mAh
Charger time:	3.5~4 hours
Power output:	5.0V 1000mAh
Active time:	2.5 hours at full power
Storage temperature:	-20°C to 70°C
Operation temperature:	-5°C to 50°C
Product size:	375(L) x 40(W) x 30(H) mm
Charge indicator light:	Red (charging) Blue (charging complete)

- Keep the LED light away from fire / water or heat / damp place.
- Do not immerse the LED light in water / solvent.
- Do not shine the LED light directly on anybody's eyes.

**20W LED COB Slim Work Light**

- Ideal for illuminating hard to reach/small areas
- The adjustable dimmer switch allows you to set the amount of light you need
- 360° Swivel Magnetic base can be locked into any position
- Tip folding hook on both ends
- Charger and Micro USB cable included

Specifications:

LED max power:	800 Lumens 20W LED COB Light
Li-ion rechargeable battery:	3350mAh
Charger time:	3.5~4 hours
Power output:	5.0V 2000mAh.
Active time:	3 hours at full power
Storage temperature:	-20°C to 70°C
Operation temperature:	-5°C to 50°C
Product size:	477(L) x 50(W) x 40(H)mm
Charge indicator light:	Red (charging) Blue (charging complete)

- Keep the LED light away from fire / water or heat / damp place.
- Do not immerse the LED light in water / solvent.
- Do not shine the LED light directly on anybody's eyes.



- KA-1359Y** Nature White + Yellow Light
- KA-1359R** Nature White + Warning Light
- KA-1359B** Nature White + UV Light

Item No.	Light	Lumen		Lumen-Dual Color	Color Temperature (K)
KA-1359Y	Nature White + Yellow light	Nature White	620 Lm	770 Lm	5200 K
		Yellow light	600 Lm		3000 K
KA-1359B	Nature White + Blue light	Nature White	620 Lm	485 Lm	5200 K
		Blue light	141Lm		450 nM
KA-1359R	Nature White + Red light	Nature White	620 Lm	616 Lm	5200 K
		Red light	176 Lm		620 nM




KA-1357 2-IN-1 LED Focus Adjustable Flashlight / COB Work Light

Instruction:

- Lumen switch-turn for on/off, then turn the switch slightly right or left for necessary light.
- Built-in 2200 mAh Li-ion battery capacity.
- Charging battery-use USB charger and USB cord connected to the USB charging port and then plug into socket for re-charging.
- Focus Adjustable.
- LED Charging Indicator:
Red Light On – in charging
Blue Light On – completely charged
- Product size: 230(L) x 30(W) x 40(H)mm

Caution:

- A. LED max power: 400 Lumens 8W COB LED + 3W tip light.
- B. Power output: 5.0V 1000mAh.
- C. Charger time: 3.5~4.0 hours.
- D. Active time: more than 3 hours.
- E. Storage temperature: -20°C to 70°C.
- F. Operation temperature: -5°C to 50°C.
- G. Charger input: AC100~240V 50/60Hz.
- H. Keep the LED light away from fire/water or heat/damp place.
- I. Do not immerse the LED light in water / solvent.
- J. Do not shine the LED light directly on anybody's eyes.



KA-1358 350 Lumen Rechargeable COB Light

Features:

- Micro adjustment lumen switch.
- Twin magnet on rear and bottom.
- Comes with belt clip.
- Build in 2200 mAh Li-ion battery.
- For full light – approx. 4 hours working hours, for semi light – approx. 12 working hours.
- 4 hours charging time:
In charging – red indicator light on,
Charged completed – blue indicator light on.
- Comes with 5V 1A USB charger & USB cable

Specifications:

- A. LED max power: 8W LED COB light.
- B. Li-ion rechargeable battery: 3.7V 2200mAh.
- C. Charger input: AC100~240V 50/60Hz.
- D. Power output: 5.0V 1000mAh
- E. Charger time: 3.5~4.0 hours.
- F. Active time: 4 hours.
- G. Storage temperature: -20°C to 70°C.
- H. Operation temperature: -5°C to 50°C.
- I. Product size: 215(L) x 27(W) x 30(H)mm.



High Strength magnates



LED Work Light

- Material: Aluminum
- LED type: 5050 SMD
- LED color: Clear
- 180° adjustable AL crust.
- Bright light despite low current draw.
- Easy to install. On both sides of the magnet and mounting holes (with 6 screws).

	KA-9055A	KA-9055B	KA-9055C	KA-9055AC	KA-9055BC	KA-9055CC
27 LED Bulbs (15") 38cm	•			•		
36 LED Bulbs (20") 50cm		•			•	
45 LED Bulbs (25") 63cm			•			•
Power supplied	1. Power: AA battery x 8pcs 2. Power box with a switch and magnet on the back.			By the below options: 1. Battery clip – 12V 2. Cigarette lighter – 12V		



Multifunctional LED Water-Proof Working Lamp



Specification:

- Lamp Dimension: 2 FT / 4 FT
- Power: 2 FT-10W / 4 FT-20W
- Lumen: 2 FT-800lm / 4 FT-1600lm
- Color: 4000K / 5700K
- Voltage: DC12V,24V / AC100V~240V
- Wire Length: 8FT / Customized
- Water-Proof Level: IPX6
- Plug: Cigarette plug & battery clamp / European regulation / US regulations
- Certification: IPX6

Advantage:

- Waterproof design. Can be used in raining day.
- With S hooks / Powerful Magnet hanger

- KA-1362A2 2FT with AC power supply
- KA-1362A4 4FT with AC power supply
- KA-1362D2 2FT with DC power supply
- KA-1362D4 4FT with DC power supply





Multifunctional Portable LED Light

Features:

- Portable.
- Color temperature changeable.
- No flicker.
- Emergency lighting function.
- Several fixed modes.

KA-1363W white color

KA-1363B black color

KA-1363R red color




With stand

Several Fixed modes:

Indoor




Home use



Vehicle maintenance & repair

Outdoor



Camping



Accident rescue

3 lighting modes:

- Sequentially press the button switch within 10 seconds to select lighting modes.
- Lighting on & charging simultaneously when plug in power
- 6W LED output
- Nature white (580lm)/ cool white (540lm)/ warm white (500lm)

Stage 1

Stage 2

Stage 3

Stage 4

Nature White

Cool White

Warm White

Off




Color Temperature Changeable

Nature White
Comfortable

Cool White
Bright

Warm White
Harmony

* Any lighting mode lasts more than 10 seconds, the next press also can turn off the light.



Attracts iron object or any magnetic object.



Hangs up by one side / two sides



Specification:

- Input Voltage: 100V~240V AC / 50~60Hz (DC output 5V, 2A)
- Power Consumption (Typ.): 12W max. (lighting + charging)
- Color Temperature: 6000K / 4000K / 3000K
- Luminous Flux: 580lm / 540lm / 500lm
- CRI: > 80
- Work Temperature: -20°C ~ 40°C
- LED Life Time: 40,000 hours
- Charge Time: about 10 hours
- Lithium-ion Batter: 3.7V, 5200mAh
- Dimension(L*W*H): 40*38*260mm
- Net Weight: 205g
- Material: PC, ABS
- Color: White, Black, Red

Lighting function:

With Power	
	Press button switch to select 3 lighting modes:
	1. Nature white 2. Cool white 3. Warm white
Power Failure	
	1. Automatically lights on (warm white half illumination) for 30 mins and then off automatically
	2. Also can press button switch to select 3 lighting modes.
Automatically lights on (Nature white)	
Press button switch to select 5 lighting modes:	
1. Nature white: 3 hours	
2. Cool white: 3 hours	
3. Warm white: 3 hours	
4. Nature white half illumination: 6 hours	
5. Flash (S.O.S.) in warm white: 12 hours	

Powerful Cob Led Pocket Helmet Light –Dual Function


KA-1396A : 2 Illumination Stage (White Cob Led Light + White Flash Light)

KA-1396B : White Cob Led Light (White Cob Led Light + RED Flash Light)

KA-1396-H : Headband (Optional)



- Dual Function: Pocket light and head light (optional)
- Powerful COB LED 400 Lumens.
- Strong Magnet for Securing on Metal surface like fenders, hood and tool carts.
- Featuring a clothespin to secure the light in your pocket or any places.
- Battery type; 14450 800mAh



Use with optional headband
(feat. Extendable Holder)



Cordless Multi-Attachment Multi-Function Light

One (1) USB Charging Handle connects Six (6) light attachments to become Multifunctional

Description:

- (A) Charging Power Handle
- (B) Nichia Lamp (73*37*32mm) : 6.6W 600 Lumen
- (C) White & Yellow Light : 8W Cob Led 760 Lumen (230*37*32mm)
- (D) White Light (230*37*32mm) : 8W Cob Led 800 Lumen
- (E) UV Light (230*37*32mm)
- (F) Wide Coverage Light : 8W Cob Led 600 Lumen with Flexible Corrugated Metal tube
- (G) Focus Point Light : 5W 400 Lumen with Corrugated Metal Tube

Specification:


- Power Output : 5.0V 2000mAh
- Charger: Input : 100-240V AC , Output: 5V DC 2A
- Charging Time : 2.5-3.0 hours
- Active Time : Up to 4 hours+ (Full Bright)
- Active Time : About 7 hours (Half Bright)
- Battery Sanyo®: 18650 Li-ion 3.6V 3350mAh
- Charging Indicator: **Red**- Charging , **Blue**- Fully Charged
- Storage Temperature : -20 to 70°C
- Operation Temperature : -5 to 50°C



Make your own combination and selection

KA-1485-M6	KA-1485-M3	KA-1485-M2

KA-1483L Multi-Function Led Lamp - *Glow in the Dark*



Features:

- 18W COB LED — powerful, even illumination with no hot spots
- 520 Lumens (High) / 170 Lumens (Low) — adjustable brightness for any situation
- 1-Hour Fast Charge via USB Type-C (5V 2A) — industry-leading charge speed
- Glow-in-the-Dark body — always visible in total darkness
- 3-hour runtime at full brightness, 6.5 hours at 50%
- Compact design — 305mm length, 175g lightweight
- Wide operating temperature — -5°C to 50°C, suitable for outdoor use

Specification:

Light Type	18 W Cob Light
Illumination	520 Lumens (100% on) 170 Lumens (50% on)
Battery Indicator	Green 100%/Orange 50%
Total Length	305mm (12")
Battery	3.6V 18650 Li-On
Charging Time	1 hour by Type C Port
Working Time	3-6.5 hours